ELSEVIER

Analytica Chimica Acta 368 (1998) 291–293

ANALYTICA
CHIMICA
ACTA

Author Index

A. Aldridge, A., see Paul Chiarelli, M. 1
Åke Jönsson, J., see Björklund, E. 117
Abad, J.M.
—, Pariente, F., Hernández, L. and Lorenzo, E.
A quartz crystal microbalance assay for detection of antibodies against the recombinant African swine fever virus attachment protein p12 in swine serum 183
Alemu, H.
— and Chandravanshi, B.S.
Differential pulse anodic stripping voltammetric determination of copper(II) with *N*-phenylcinnamohydroxamic acid modified carbon paste electrodes 165
Alsberg, B.K.
—, Woodward, A.M., Winson, M.K., Rowland, J.J. and Kell, D.B.
Variable selection in wavelet regression models 29
Anantha Narayanan, V., see Pal, T. 21
Arnold, M.A., see Chuang, H. 83
Arruda, M.A.Z., see Silva, M.M. 255

Baezzat, M.R., see Safavi, A. 113
Bermejo-Barrera, A., see Bermejo-Barrera, P. 281
Bermejo-Barrera, P.
—, Moreda-Piñeiro, J., Moreda-Piñeiro, A. and Bermejo-Barrera, A.
Direct trace determination of lead in estuarine water using in situ preconcentration of lead hydride on Ir, Zr and W-coated graphite tubes 281
Björklund, E.
—, Järemo, M., Mathiasson, L., Åke Jönsson, J. and Karlsson, L.
Illustration of important mechanisms controlling mass transfer in supercritical fluid extraction 117
Blanco López, M.A., see González Martín, I. 175
Bolliet, D.
—, F. Poole, C. and Rosés, M.
Conjoint prediction of the retention of neutral and ionic compounds (phenols) in reversed-phase liquid chromatography using the solvation parameter model 129

Cabon, J.-Y., see Le Garrec, H. 59
Cardwell, T.J., see Wang, X.D. 105
Castillo, J.R., see Sierra, J.F. 97
Cattrall, R.W., see Wang, X.D. 105
Chandravanshi, B.S., see Alemu, H. 165
Chang, L.-Y.
—, Davison, W., Zhang, H. and Kelly, M.
Performance characteristics for the measurement of Cs and Sr by diffusive gradients in thin films (DGT) 243
Chiang, P.-C., see Wang, C.-F. 11
Chuang, H.
— and Arnold, M.A.
Linear calibration function for optical oxygen sensors based on quenching of ruthenium fluorescence 83

da Silva, S.C., see Landgraf, M.D. 155
Davison, W., see Chang, L.-Y. 243
de Marcos, S., see Sierra, J.F. 97
de O. Rezende, M.O., see Landgraf, M.D. 155
Dyson, R.P., see Wang, X.D. 105
Dzięgielewski, K., see Leszczyńska, E. 205

F. Poole, C., see Bolliet, D. 129
Farooqui, M., see Sosnitza, P. 197

Głąb, S., see Leszczyńska, E. 205
Galban, J., see Sierra, J.F. 97
Gallego, M., see Silva, M.M. 255
GiamarchiLe Garrec, P., see Le Garrec, H. 59
González Martín, I.
—, González Pérez, C. and Blanco López, M.A.
Polarographic determination of cisapride and cinitapride 175
González Pérez, C., see González Martín, I. 175
Gu, X., see Paul Chiarelli, M. 1

Harrington, P.d.B., see Tandler, P.J. 45
Hassoon, S.
— and Schechter, I.
A sensitive fluorescence probe for DDT-type pesticides 77
Hernández, L., see Abad, J.M. 183
Hock, B., see Sasaki, S. 71

Ikeda, S., see Motonaka, J. 91

Järemo, M., see Björklund, E. 117
Jeng, S.-L., see Wang, C.-F. 11
Jenkins, G.E., see Wang, X.D. 105

Karlsson, L., see Björklund, E. 117
Karube, I., see Sasaki, S. 71

Katumoto, Y., see Motonaka, J. 91
Kell, D.B., see Alsberg, B.K. 29
Kelly, M., see Chang, L.-Y. 243
Koncki, R., see Leszczyńska, E. 205
Kopanica, M.
  — and Novotný, L.
  Determination of traces of arsenic(III) by anodic stripping voltammetry in solutions, natural waters and biological material 211
Kozono, S.
  —, Yagi, M. and Takashi, R.
  Determination of ultratrace amounts of boron in high purity alcohols by inductively coupled plasma-mass spectrometry with hydrofluoric acid/potassium fluoride treatment 275
Kröger, S.
  —, Setford, S.J. and Turner, A.P.F.
  Assessment of glucose oxidase behaviour in alcoholic solutions using disposable electrodes 219
Krug, F.J., see Silva, M.M. 255

Landgraf, M.D.
  —, da Silva, S.C. and de O. Rezende, M.O.
  Mechanism of metribuzin herbicide sorption by humic acid samples from peat and vermicompost 155
Le Bihan, A., see Le Garrec, H. 59
Le Garrec, H.
  —, Giamarchi, P., Cabon, J.-Y. and Le Bihan, A.
  Electrothermic factors optimization in electrothermal atomic absorption spectrometry via an optimal experimental design matrix 59
Leszczyńska, E.
  —, Głąb, S., Sokół, A., Dzięgielewski, K., Rokicka, R. and Koncki, R.
  Potentiometric biosensor for control of biotechnological production of penicillin G 205
Li, J.
  — and Whitman, D.A.
  Characterization and selectivity optimization on diol, amino, and cyano normal phase columns based on linear solvation energy relationships 141
Lin, C.C., see Wang, C.-F. 11
Lisdat, F.
  —, Wollenberger, U., Paeschke, M. and Scheller, F.W.
  Sensitive catecholamine measurement using a monoenzymatic recycling system 233
Lorenzo, E., see Abad, J.M. 183

Mathiasson, L., see Björklund, E. 117
Moreda-Piñeiro, A., see Bermejo-Barrera, P. 281
Moreda-Piñeiro, J., see Bermejo-Barrera, P. 281
Motonaka, J.
  —, Katumoto, Y. and Ikeda, S.
  Preparation and properties of enzyme sensors for L-lactic and D-lactic acids in optical isomers 91

Nagata, R., see Sasaki, S. 71
Novotný, L., see Kopanica, M. 211

Oliveira, P.V., see Silva, M.M. 255

Paeschke, M., see Lisdat, F. 233
Pal, T.
  —, Anantha Narayanan, V., Stokes, D.L. and Vo-Dinh, T.
  Surface-enhanced Raman detection of nicotinamide in vitamin tablets 21
Pariente, F., see Abad, J.M. 183
Paul Chiarelli, M.
  —, Gu, X., A. Aldridge, A. and Wu, H.
  Matrix-assisted laser desorption ionization and time-of-flight mass spectrometry for the sensitive determination of arylamide–deoxynucleoside adducts 1
Peder Raj Andersen, N.
  Limitations of the use of the electrochemical quartz crystal microbalance in stripping analysis of lead(II) and cadmium(II) on a quartz crystal platinum electrode with a thin mercury film 191

Queiroz, Z.F., see Silva, M.M. 255

Richardson, H., see Tandler, P.J. 45
Rietjens, M.
  Decomplexation of aluminium–fluoride complexes by citrate-based buffers as a function of pH, aluminium and fluoride concentrations 265
Rokicka, R., see Leszczyńska, E. 205
Rosés, M., see Bolliet, D. 129
Rowland, J.J., see Alsberg, B.K. 29

Safavi, A.
  — and Baezzat, M.R.
  Flow injection chemiluminescence determination of pyrogallol 113
Saleemuddin, M., see Sosnitza, P. 197
Sasaki, S.
  —, Nagata, R., Hock, B. and Karube, I.
  Novel surface plasmon resonance sensor chip functionalized with organic silica compounds for antibody attachment 71
Schechter, I., see Hassoon, S. 77
Scheller, F.W., see Lisdat, F. 233
Scheper, T., see Sosnitza, P. 197
Setford, S.J., see Kröger, S. 219
Sierra, J.F.
  —, Galban, J., de Marcos, S. and Castillo, J.R.
  Fluorimetric–enzymatic determination of glucose based on labelled glucose oxidase 97
Silva, M.M.
  —, Arruda, M.A.Z., Krug, F.J., Oliveira, P.V., Queiroz, Z.F., Gallego, M. and Valcárcel, M.
  On-line separation and preconcentration of cadmium, lead and nickel in a fullerene (C_{60}) minicolumn coupled to flow injection tungsten coil atomic absorption spectrometry 255
Sokół, A., see Leszczyńska, E. 205
Sosnitza, P.
  —, Farooqui, M., Saleemuddin, M., Ulber, R. and Scheper, T.
  Application of reversible immobilization techniques for biosensors 197

Stokes, D.L., see Pal, T. 21

Takashi, R., see Kozono, S. 275
Tandler, P.J.
—, Harrington, P.d.B. and Richardson, H.
Effects of static spectrum removal and noise on 2D-correlation spectra of kinetic data 45
Turner, A.P.F., see Kröger, S. 219

Ulber, R., see Sosnitza, P. 197

Valcárcel, M., see Silva, M.M. 255
Vo-Dinh, T., see Pal, T. 21

Wang, C.-F.
—, Jeng, S.-L., Lin, C.C. and Chiang, P.-C.
Preparation of airborne particulate standards on PTFE-membrane filter for laser ablation inductively coupled plasma mass spectrometry 11
Wang, X.D.
—, Cardwell, T.J., Cattrall, R.W., Dyson, R.P. and Jenkins, G.E.
Time-division multiplex technique for producing concentration profiles in flow analysis 105
Whitman, D.A., see Li, J. 141
Winson, M.K., see Alsberg, B.K. 29
Wollenberger, U., see Lisdat, F. 233
Woodward, A.M., see Alsberg, B.K. 29
Wu, H., see Paul Chiarelli, M. 1

Yagi, M., see Kozono, S. 275

Zhang, H., see Chang, L.-Y. 243